

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/584,247	06/23/2006	Akihiro Morikawa	28951.1180	1473
53067 7590 11/02/2007 STEPTOE & JOHNSON LLP		,	EXAMINER	
1330 CONNEC	CTICUT AVE., NW		CRUZ, MAGDA	
WASHINGTON, DC 20036			ART UNIT	PAPER NUMBER
			2851	
	•		MAIL DATE ,	DELIVERY MODE
			11/02/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

· · ·		Application No.	Applicant(s)			
Office Action Summary		10/584,247	MORIKAWA ET AL.			
		Examiner	Art Unit			
		Magda Cruz	2851			
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠	Responsive to communication(s) filed on 23 Ju	ne 2006				
	This action is FINAL . 2b) ☐ This action is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
٠,٣	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Dispositi	on of Claims	•				
4)⊠	4)⊠ Claim(s) <u>1-16</u> is/are pending in the application.					
•	4a) Of the above claim(s) is/are withdrawn from consideration.					
5)🖂	Claim(s) 1-16 is/are allowed.					
6)[6) Claim(s) is/are rejected.					
7)	Claim(s) is/are objected to.		,			
8)[Claim(s) are subject to restriction and/or	election requirement.				
Application Papers						
9)🖾	The specification is objected to by the Examine	r.				
	The drawing(s) filed on <u>23 June 2006</u> is/are: a)		by the Examiner.			
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)	The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.			
Priority u	ınder 35 U.S.C. § 119					
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)⊠ All b)□ Some * c)□ None of:						
	1. Certified copies of the priority documents have been received.					
	2. Certified copies of the priority documents have been received in Application No					
	3. Copies of the certified copies of the priority documents have been received in this National Stage					
	application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.						
•						
Attachment(s)						
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)		4)			
3) 🛛 Inform	nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date <u>09/26/2006</u> .	5) Notice of Informal Pa				

10/584,247 Art Unit: 2851

DETAILED ACTION

Drawings

- 1. Figure 9 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 2. In addition to Replacement Sheets containing the corrected drawing figure(s), applicant is required to submit a marked-up copy of each Replacement Sheet including annotations indicating the changes made to the previous version. The marked-up copy must be clearly labeled as "Annotated Sheets" and must be presented in the amendment or remarks section that explains the change(s) to the drawings. See 37 CFR 1.121(d)(1). Failure to timely submit the proposed drawing and marked-up copy will result in the abandonment of the application.

Specification

3. The abstract of the disclosure is objected to because the numerals should be written in parenthesis. Correction is required. See MPEP § 608.01(b).

10/584,247 Art Unit: 2851

Claim Objections

4. Claim 14 is objected to because of the following informalities: in line 3, the letter "f" should be written in capital letter to be consistent with the terminology of formula (1). Appropriate correction is required.

Allowable Subject Matter

- 5. Claims 1-16 are allowed.
- 6. The following is a statement of reasons for the indication of allowable subject matter:

Regarding claim 1, the prior art of record neither shows nor suggests a twodimensional image display device comprising a polarization state modulator for modulating at least one of a polarization state and a phase of the coherent light emitted from the coherent light source; and a birefringent diffusion plate for spatially varying the phase of the coherent light emitted from the polarization state modulator.

Conclusion

- 7. This application is in condition for allowance except for the following formal matters:
 - a. Figure 9 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g).

- b. The abstract of the disclosure is objected to because the numerals should be written in parenthesis. Correction is required. See MPEP § 608.01(b).
- c. Claim 14 is objected to because of the following informalities: in line 3, the letter "f" should be written in capital letter to be consistent with the terminology of formula (1).

Prosecution on the merits is closed in accordance with the practice under Exparte Quayle, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Troyer (US Patent Number 6,183,092) discloses a laser projection apparatus with liquid-crystal light valves and scanning reading beam.

Khoshnevisan et al. (US Patent Number 6,751,009) teach an acousto-micro optic device.

Sakata et al. (US Patent Number 6,945,652) show a projection display device having different wavelengths emitted from semiconductors lasers.

Kasazumi et al. (US Patent Number 7,271,962 B2) disclose a two-dimensional image formation apparatus.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Magda Cruz whose telephone number is (571) 272-

Page 5

Application/Control Number:

10/584,247

Art Unit: 2851

2114. The examiner can normally be reached on Monday through Thursday 8:00-5:30

PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Diane Lee can be reached on (571) 272-2399. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Magda Cruz Patent Examiner

October 27, 2007

DIANE I. LEE
SUPERVISORY PATENT EXAMINER